

Jobelyn Dietary Supplement

Health Forever Product Limited

11 Dipeolu Street, Off Obafemi Awolowo Way, Ikeja, Lagos.

Email: getinfo@health-forever.com

Tel: 0807-851-6953

Website: <http://jobelyn.com.ng>

Table of Contents

- [Brand Name](#)
- [Manufacturer](#)
- [Therapeutic Class](#)
- [Dosage Form, Composition & NAFDAC Registration Number \(NRN\)](#)
- [Pharmacology](#)
- [Indications](#)
- [Contra-indications](#)
- [Precautions/Warnings](#)
- [Interactions](#)
- [Adverse Effects](#)
- [Dosage & Administration](#)
- [Storage/Handling Recommendations](#)
- [Review Date](#)

Brand Name

Jobelyn Dietary Supplement

Manufacturer

Health Forever Product Limited, 11 Dipeolu Street, Off Obafemi Awolowo Way, Ikeja, Lagos.

Therapeutic Class

Dosage Form, Composition & NAFDAC Registration Number (NRN)

Capsules (NRN: A7-1873L): Sorghum Bicolor Leaf Powder 250 mg

Pack Sizes: 30 Capsules and 100 Capsules

Suspension (NRN: A7-1601L): Sorghum Bicolor Leaf Extract 625 mg

Pack Sizes: Dry Powder for Suspension (100 mL)



Jobelyn - 30 Capsules Pack



Jobelyn - 100 Capsules Pack



Jobelyn – Syrup Capsules Pack

Pharmacology

Jobelyn is a dietary supplement derived from leaf sheaths of *Sorghum bicolor*.

The powder extract, a proprietary formulation contains nutrients like protein (necessary for growth), carbohydrates (energy production), dietary fibre (essential for digestive health and good absorption) and most importantly contains substances called phytochemicals which have potential to significantly and positively affect human health.

Indications

Jobelyn Dietary Supplement is used for its antioxidant properties and to support the immune system.

Contra-indications

There are no known contra-indications in the administration of Jobelyn.

Precautions/Warnings

It is advisable to take a lot of water or fruit juice when administering Jobelyn. Pregnant and Lactating women should consult their physician before the use of Jobelyn.

The dry powder suspension (for children) must be used within 5 days after preparation.

Interactions

No interactions

Adverse Effects

No adverse effect has been reported.

Dosage & Administration

Age	Dose
Dry Powder Suspension	
1-5 years	One teaspoonful (5 mL) three times daily
Children: 6 years and above	Two teaspoonful (10 mL) two or three times daily
Capsules	
Adults	1 – 4 Capsules to be taken with water two or three times daily.

Storage/Handling Recommendations

Store in a dry cool place, keep out of the reach of children.

Review Date

2021-03-30 10:15:39